

# MEDICAL REFRIGERATOR BROCHURE

医疗冷柜宣传册



## Ningbo Jingao Electronics Co.,Ltd

Add: No.2,Jinyuan Rd.,Longshan Industrial Zone 315311,Cixi Zhejiang,China.  
Tel: 0086-574-63973728 159 8867 6660 150 5807 8348  
Fax: 0086-574-63973722  
Email: gongyd@jingeao.com cooler@jingeao.com  
freezer@jingeao.com china@jingeao.com  
http://www.jingeao.com  
http://jingeao.en.alibaba.com





Ningbo Jingao Electronics Co., Ltd is specialized in developing and customizing medical refrigerator for customers both domestically and internationally. Having the Production License For Medical Device (Class II), we are highly recognized in the global markets while playing a leading role in the industry with a wide range of products featuring innovation and customization.

Since founded in 2001, we have successfully developed and manufactured products such as Internet+ medical refrigerator, insulin coolers, medical trolley for nursing which are well-sold in American and European markets. Besides, we have achieved multiple utilities and design patents in the special medical refrigerator industry and all of our products are qualified with CE, CB, SAA, CETL, ETL, CECB certificates.

Under the unstoppable trend of health industry development, Ningbo Jingao Electronics Co., Ltd focuses on the investment, R&D as well as expansion of ‘medical cold chain and smart health service’ projects. One of the successful projects namely ‘Cloud Health Community’ targeting on providing cloud health service in communities is based on self-served medicine purchasing system, remote diagnosis and medical insurance docking. After a comprehensive process of marketing research, technic proof, government support, software development, prototype, authority approve, JGA Smart Medical Vending Machine was successfully launched in the market. Meanwhile, Ningbo Jingao Electronics Co., Ltd is recommended as the manufacturer of ‘Professional Medical Refrigerator’ by China Association of Warehouse and Storage (CAWS), China Association of Pharmaceutical Commerce, Ningbo Logistic Association (NBLA).

Featured with functions such as 24/7 self-served OTC medicine purchasing, remote diagnosis, medical insurance settlement, JGA Smart Medical Vending machine has the advantages of low cost, easy management, no limit and rapid spread over the traditional convenient clinics. JGA Smart Medical Vending machine not only helped implement the Cloud Health Community but also changes the conventional pharmacy business, customers’ behaviors, thus safeguarding the wellness of human beings.

Twenty years’ persistence and artisan spirit, the pursuit of innovation and quality as well as the vision of ‘Consistent Development, Contribute to the Society’ have enabled us to achieve a high reputation in the industry. We warmly welcome partners from all over the world to conduct deep collaboration and make contributions to the global health industry.



## JGA Smart Medical Vending Machine is successfully launched in the market



When there is a trend to sell OTC medicine through vending machines, Ningbo Jingao Electronics Co., Ltd seizes the opportunity, designed and developed JGA Smart Medical Vending Machine featuring self-served medicine purchasing system, remote diagnose and medical insurance docking. After the pilot period in one of the chain pharmacy stores in Yuyao, our product was issued the Drug Retailing License by the government, the first business license ever that is issued to the medical vending machine nationwide.

On Dec 27th, 2018. A journalist, named Danting Ye, working for Ningbo TV station, experienced the way how the Vending Machine brings a fast and a secure way for medicine purchase. Start from touching the screen, select the medicine that is needed, then choose the preferred payment methods and get the medicine. The whole process only took up to 2 minutes. The journalist and the citizens who also witnessed the process were amazed and surprised by the vending machine, saying: ‘ Finally there is a better way to get the medicine than going to the clinics’.

The manager of the pilot pharmacy store said: ‘The vending machine is open to the public 24/7 and has the capacity of 130 kinds of medicines, we are planning to widely deploy the vending machine around our pharmacies to meet people’ s daily needs.

Deng Fenwei, the chief officer from the Drug Distribution Department of Ningbo Market Supervision Bureau mentioned in the interview: ‘The Medical Vending Machine record, store and track all the drug information which strengthens drug management. There were similar machines in other cities before, but none of them has the license. The products here in Ningbo are the first and only ones that get both the business license and permission which lays a solid foundation for the future development of the industry. Our next step is to dock the medical insurance system with the product to widely deploy the machine in other areas while strengthening the supervision’.

Moreover, the pilot result shows that JGA Smart Medical Vending Machine is not only convenient, but also quite profitable. Since approved on December 14th, the machine has had 171 successful orders with RMB5300 sales during half a month, more than 50% of the orders were placed during the night. So far, a lot of chain pharmacies have shown interests to introduce the vending machine to their stores. Mrs Gong, the CEO of Ningbo Jingao Electronics Co., Ltd said to the journalist: ‘ We are striving to provide the best solutions for the medical cold chain since we involved in this industry. Now that we have got the license, we are negotiating with several strategic partners on various projects such as Cloud Hospital, Cloud Health Community, medical insurance center docking so that people are able to purchase Rx medicine with medical insurance card. Our next step is to update our product as well as the software while improving our service to satisfy our stakeholders.’





capacity

JGA-BC29

Capacity:29L

Cooling:By compressor;no frost,anti-vibration;circulated air

Tem.range:2℃ to 8℃, inner body temp. difference in 2℃

Features: White plastic cated shelves;2 layer of glass  
door with lock;white LED light or as per reuquest

Refrigerant:R600a/R134a/R290

Voltage:AC110V/60Hz, 200-240V/50Hz

N.W./G.W.: 25/27KG

Interior size:361×205×400MM(WxDxH)

Product size:445x458x539MM(WxDxH)

Carton size:500x525x585MM(WxDxH)

FCL:132PCS/20GP 276PCS/40GP 368PCS/40HQ



JGA-BC168

Capacity:168L

Cooling:By compressor;no frost,anti-vibration;circulated air

Tem.range:2℃ to 8℃, inner body temp. difference in 2℃

Features: White plastic cated shelves;2 layer of glass  
door with lock;white LED light or as per reuquest

Refrigerant:R600a/R134a/R290

Voltage:AC110V/60Hz, 200-240V/50Hz

N.W./G.W.: 46/50KG

Interior size:A,505×441×460MM(WxDxH)

B,505×310×165MM(WxDxH)

Product size:595×622×840MM(WxDxH)

Carton size: 662×690×895MM(WxDxH)

FCL:54PCS/20GP 108PCS/40GP 162PCS/40HQ





# Medical Refrigerator



## JGA-BC228

Capacity:228L

Cooling:By compressor;no frost,anti-vibration;circulated air

Tem.range:2°C to 8°C, inner body temp. difference in 2°C

Features:White plastic cated shelves;2 layer of glass  
door with lock;white LED light or as per request

Refrigerant:R600a/R134a/R290

Voltage:AC110V/60Hz, 200-240V/50Hz

N.W./G.W.: 46/50KG

Interior size:A,505×441×880MM(WxDxH)

B,505×310×165MM(WxDxH)

Product size:595×622×1260MM(WxDxH)

Carton size: 662×690×1315MM(WxDxH)

FCL:54PCS/20GP 108PCS/40GP 162PCS/40HQ



## JGA-BC328

Capacity:328L

Cooling:By compressor;no frost,anti-vibration;circulated air

Tem.range:2°C to 8°C, inner body temp. difference in 2°C

Features:White plastic cated shelves;2 layer of glass  
door with lock;white LED light or as per request

Refrigerant:R600a/R134a/R290

Voltage:AC110V/60Hz, 200-240V/50Hz

N.W./G.W.: 72/77KG

Interior size:A,505×441×1180MM(WxDxH)

B,505×310×165MM(WxDxH)

Product size:595×622×1560MM(WxDxH)

Carton size: 660×690×1615MM(WxDxH)

FCL:27PCS/20GP 54PCS/40GP 54PCS/40HQ



## JGA-BC105

Capacity:105L

Cooling:By compressor;no frost,anti-vibration;circulated air

Tem.range:2°C to 8°C, inner body temp. difference in 2°C

Features:White plastic cated shelves;2 layer of glass  
door with lock;white LED light or as per request

Refrigerant:R600a/R134a/R290

Voltage: AC110V/60Hz, 200-240V/50Hz

N.W./G.W.: 60/65KG

Interior size:A,280×300×1324MM(WxDxH)

B,280×135×136MM(WxDxH)

Product size:360x404x1812MM(WxDxH)

Carton size: 408x445x1870MM(WxDxH)

FCL:70PCS/20GP 145PCS/40GP 145PCS/40HQ



## JGA-BC448

Capacity:448L

Cooling:By compressor;no frost,anti-vibration;circulated air

Tem.range:2°C to 8°C, inner body temp. difference in 2°C

Features:White plastic cated shelves;2 layer of glass  
door with lock;white LED light or as per request

Refrigerant:R600a/R134a/R290

Voltage:AC110V/60Hz, 200-240V/50Hz

N.W./G.W.: 87/90KG

Interior size:A,505×441×1440MM(WxDxH)

B,505×310×165MM(WxDxH)

Product size: 595×622×1820MM(WxDxH)

Carton size:662×690×1875MM(WxDxH)

FCL:27PCS/20GP 54PCS/40GP 54PCS/40HQ







# Medical Reffrigerator



www.jingeao.com



## JGA-BC680

Capacity:628L

Cooling:By compressor;no frost,anti-vibration;circulated air

Tem.range:2°C to 8°C, inner body temp. difference in 2°C

Features:White plastic cated shelves;2 layer of glass  
door with lock ;white LED light or as per reuquest

Refrigerant:R600a/R134a/R290

Voltage:AC110V/60Hz, 200-240V/50Hz

N.W./G.W.: 130/140KG

Interior size:915×410×1418MM(WxDxH)

Product size:1000x500x1980MM(WxDxH)

Carton size:1075x590x2040MM(WxDxH)

FCL:20PCS/20GP 40PCS/40GP 40PCS/40HQ



## JGA-BC728

Capacity:728L

Cooling:By compressor;no frost,anti-vibration;circulated air

Tem.range:2°C to 8°C, inner body temp. difference in 2°C

Features:White plastic cated shelves;2 layer of glass  
door with lock;white LED light or as per reuquest

Refrigerant:R600a/R134a/R290

Voltage:AC110V/60Hz, 200-240V/50Hz

N.W./G.W.: 145/155KG

Interior size:1265×410×1418MM(WxDxH)

Product size:1350x500x1980MM(WxDxH)

Carton size: 1425x590x2040MM(WxDxH)

FCL:12PCS/20GP 24PCS/40GP 24PCS/40HQ



## 医疗推车

## JGA-YY227

Product size : 815x660x1040(WxDxH)

Carton size : 845x675x1068(WxDxH)

N.W./G.W. : 74/78KG





## Self-service drug sale machine

JGA-BC1400

Capacity:1400L

Cooling: By compressor, temperature can be adjustable between 0 to 30 °C.

Humidity: 35% to 75%

Refrigerator: R134a/R600a

Voltage: AC220V/50HZ; AC110V/60HZ

Product size: 1340x832x1920MM( WxDxH)

Input power: 450W

Input power: 360W



1, Medical machine production license

2, Big screen reveal: Deploy 43inch LCD clearly touch screen. Can play advertising video and picture remotely. with 7 functions in the menu. For example: temperature and humidity control (temperature and humidity instruction. Mainly use for show temperature and humidity inside of the machine) video call, advertising show, choose prompt, show pharmacy license, pharmaceutical license, GSP certificate, pharmacist certificate. The user can check the menu search the relevant data as he need.

3, Touch control: can click on the screen directly. Available network: wireless WIFI and wired. Talk with video: can see a doctor by video. Identify intelligent: Control system by microcomputer that can check data, identify, fault diagnosis and so on. Infrared detection: infrared detection which confirm the correct medicine. Payment term: by wechat, alipay, medical card.

4, Big capacity: two store space, two temperature and humidity area. Can sell different size medicine. There are 70-90 goods roads which can put in 700-900 pcs medicine boxes. And can put many kinds of medicine at the same time. Store environment: The temperature and humidity of the medicine can be adjusted according environmental. With two areas of the temperature and humidity each machine. Temperature can be setted about 10-30°C, humidity is 35%-75%. It can give an alarm when in high or low temperature. Support uploading checking and share the data of working temperature and humidity. One main and several deputy: Can use main machine separately, and also can use one main machine and several deputy. So that can meet more people needs. Energy consumption control: With watt-hour meter. can check the electricity consumption at any time. Safe use: electric leakage protection, can use safely.